

### Completing your accessibility compliance report

You must complete the mandatory fields on each page before you can move to the next page. Mandatory fields are marked with an asterisk (\*).

To start, save the form on your computer. Be sure to open the form with the latest version of Adobe Reader. You can save the form at any point in the process and return to it later. You may distribute the form within your organization for input before submitting.

### You need the following to file your accessibility compliance report:

- organization legal name
- 9-digit business number (BN9). This is the number that Canada Revenue Agency uses to identify your
  organization. You can find it on your federal or provincial tax return. If your organization does not have a business
  number (BN9), contact us to receive an AODA identifier to be used in place of a business number (BN9).
- organization category (Ontario Public Service/Ontario Legislative Assembly, Designated Public Sector, Business or Non-profit)

**Note:** If you select the wrong organization category, you may see questions that do not apply to you. You will need to correct the category and enter your data again to successfully submit your report.

- · number of employees in your organization in Ontario
- name and contact information of your certifier (a director or senior officer with legal authority to say that the report is complete and accurate)

#### File for up to 20 organizations at once

You can use one form to file a report for up to 20 organizations. To do so, you need each organization's:

- legal name
- · business number (BN9) or AODA identifier
- number of employees in Ontario
- address

Each organization must have the same:

- organization category
- number of employees range (e.g. 20-49, 50+)
- certifier
- · answers to all of the accessibility compliance questions

If not, you will need to complete a separate form for each organization.

Note: Users of assistive technology should pull up a list of buttons to get a list of the links on the form.

# Begin your report

Follow these steps to complete your form:

# 1. Download and save the form

- Download and save the form on your computer
- Open the form with the latest version of Adobe Reader

## 2. Enter your organization's information

• Enter your organization's information then select Next

## 3. Understand your requirements

• If you need information about the requirements, select the website link in **section B: Understand your accessibility requirements**. This will bring you to our website where you can see your requirements.

## 4. Certify your report

- Complete the Certifier Information section
- The certifier must:
  - make sure all information on the form is complete and accurate
  - check the box to show they have authority to certify your organization
  - enter the certification date or select it from the drop-down calendar
- Enter your organization's primary contact. This is the person to be contacted if more information is needed. This person may be the certifier or a different person.

## 5. Answer the questions

- The questions on the form are based on the requirements that apply to your:
  - organization category
  - number of employees range
- Select **Yes** (if you are in compliance) or **No** (if you are not in compliance) for each question. You may add comments in the comment box below each question.
- Each report question has links to:
  - the regulation section that is related to that question
  - helpful resources to help you understand and comply with the requirements
- · Once you have answered all of the questions, select Save form at the bottom of the page before selecting Next
- Review the accessibility compliance report summary.

### 6. Submit your report

- You may save the form at any time by selecting the **Save form** button. When you are ready to submit your report, select the **Save and Submit button**. You will be prompted to save the form on your computer first and then it will be submitted.
- Wait for a confirmation prompt with a confirmation number that either confirms submission or indicates any problems.
- Once the report is received, an email will be sent to the Certifier and the Primary Contact. This email will include:
  - a confirmation number
  - an accessible PDF copy of your report

**If you have not received a confirmation number** upon successfully submitting the form or have any questions, please contact the AODA Contact Centre (ServiceOntario) at:

Toll free phone: 1-866-515-2025 TTY Toll free: 1-800-268-7095

Phone: 416-849-8276 TTY: 416-325-3408

# Alternate formats

If you need the accessibility compliance report in an alternate format, please email <u>accessibility@ontario.ca</u>.



# Instructions

All information you provide is subject to the Freedom of Information and Protection of Privacy Act.

If you are a public sector organization with **20 or more employees** that is not designated under the <u>Integrated Accessibility Standards Regulation (IASR)</u> you are to comply with the IASR as a private/not-for-profit organization and complete the appropriate Accessibility Compliance Report. If you are a public sector organization with **fewer than 20 employees** that is not designated under the <u>IASR</u>, you are to comply with the IASR as a small business/non-profit organization and are exempt from the requirement to submit a report.

Fields marked with an asterisk (\*) are mandatory.

A. Organizatio	n information					
Organization cate	egory *		Numbe	r of employee	s range *	Reporting year
Designated Public Sector 1-49 employee						2023
<b>Business deta</b>	ils					
Organization lega	al name *				Number of	employees in Ontario * <u>Help</u>
Township of As	hfield-Colborne-W	/awanosh			43	
Business number 895726917	(BN9) * <u>Help</u>		s box if you have recei Ministry for Seniors and		identifier	
Check if operation	ating/business name	e is same as	legal name			
<b>U</b> 1	rating/business nan hfield-Colborne-W					
Sector that best of 91 - Public adm	, ,	nization's pr	incipal business activit	/*	<u>Help</u>	
Subsector (if pos 913 - Local, mu	sible) nicipal and region	al public ad	dministration			
Industry group (if 9139 - Other loo	• •	regional p	ublic administration			
Mailing addres	S					
Address where le	tters can be sent to	the person	responsible for coordin	ating the orga	nization's A	ODA compliance activities.
Country *						
The fields below	will change based c	on your seled	ction.			
Canada	$\bigcirc$ L	JSA			onal	
Type of address	<ul> <li>Street addres</li> </ul>	ss C	Street address served	l by route	Other	
Unit number	Street number * 82133	Street nam Council Li				
Street type	reet type Street direction City * Province * ON (Ontario)					
Postal code (e.g. N7A 3Y2	A1A 1A1) *					
Business addr	ess					
(Address at which	letters can be sent	to the compa	any director/officer acco	untable for the	organization	's compliance with the AODA.)

Check if business address is same as mailing address

Canada	$\bigcirc$ L	SA	) International
Type of address	* <ul> <li>Street address</li> </ul>	s OStreet address served by	route Other
Unit number	Street number * 82133	Street name * Council Line	
Street type	Street direction	City * Goderich	Province * ON (Ontario)

Use the "Add new organization" button to add additional organizations to which this accessibility report is to be applied (maximum 20).

**Note:** All organizations must have the same organization category, number of employees range, compliance answers and certifier, and have different business numbers, in order to file under the same form.



# Organization category Designated Public Sector

Number of employees range 1-49

#### Filing organization legal name Township of Ashfield-Colborne-Wawanosh

Filing organization business number (BN9) 895726917

Fields marked with an asterisk (\*) are mandatory.

#### **B. Understand your accessibility requirements**

Before you begin your report, you can learn about your accessibility requirements at ontario.ca/accessibility

Additional accessibility requirements apply if you are:

- <u>a library board</u>
- a producer of education material (e.g. textbooks)
- an education institution (e.g. school board, college, university or school)
- <u>a municipality</u>

If you are a municipality submitting this report, and submitting on behalf of local boards, please indicate which boards below. n/a

### C. Accessibility compliance report certification

Section 15 of the Accessibility for Ontarians with Disabilities Act, 2005 requires that accessibility reports include a statement certifying that all the required information has been provided and is accurate, signed by a person with authority to bind the organization(s).

Note: It is an offence under the Act to provide false or misleading information in an accessibility report filed under the AODA.

The certifier may designate a primary contact for the Ministry for Seniors and Accessibility to contact the organization(s); otherwise the certifier will be the main contact.

Certifier: Someone who can legally bind the organization(s).

Primary Contact: The person who will be the main contact for accessibility issues.

#### Acknowledgement

I certify that all the information is accurate and I have the authority to bind the organization \*

Certification date (yyyy-mm-dd) *	2023-10-12
-----------------------------------	------------

#### **Certifier information**

Last name * Witherspoon		First name * Florence		
Position title * Other	Position title other * Clerk	Business phone number * 519-524-4669	Extension	Check here if TTY

				1	
Email * clerk@acwtownship.ca		Alternate phone number	Extension	Fax numbe	r
Primary contact for the or	ganization(s)				
Check if the primary contact	is same as the certifier				
Last name * Witherspoon		First name * Florence			
Position title * Other	Position title other * Clerk	Business phone number * Extension Check here 519-524-4669 if TTY			
Email * clerk@acwtownship.ca		Alternate phone number	Extension	Fax numbe	r
D. Accessibility complia	nce report questions	·			
Instructions					
Please answer each of the follo	wing compliance questions. Us	e the Comments box if you v	vish to comm	ent on any re	esponse.
If you need help with a specific view the relevant AODA regulat					n the left to
General					
<ol> <li>Has your organization creat accessibility by meeting all a</li> </ol>	ed and implemented written pol applicable accessibility requiren			Yes	⊖ No
Read O. Reg. 191/11, s. 3 (1): I	Establishment of accessibility po	olicies Learn more abo	out your requi	irements for	question 1
question 1 2. Has your organization estab	•	i-year accessibility plan? *		• Yes	○ No
(If Yes, please answer addit	. ,				
Read O. Reg. 191/11, s. 4 (1): /	Accessibility plans	Learn more abo	out your requi	irements for	<u>question 2</u>
2.a. Does your organizatio (If Yes, please answer				• Yes	⊖ No
<u>Read O. Reg. 191/11, s. 4 (</u>	<u>1): Accessibility plans</u>	Learn more abo	out your requi	irements for	question 2.a
Comments for question 2.a					
2.a.i Is your organiza	tion's accessibility plan posted o	on your organization's websit	te? *	Yes	⊖ No
<u>Read O. Reg. 191/11</u>	<u>s. 4 (1): Accessibility plans</u>	Learn more abou	<u>t your require</u>	ements for qu	<u>uestion 2.a.i</u>
Comments for question 2.a.i					

when requested? *	an accessible format	) Yes	⊖ No
Read O. Reg. 191/11, s. 4 (1): Accessibility plans	Learn more about your requirement	ts for qu	estion 2.a.i
Comments for question 2.a.ii			
2.b Does your organization update the accessibility plan at least or <u>Read O. Reg. 191/11, s. 4 (1): Accessibility plans</u>	nce every 5 years? *	) Yes Its for qu	○ No
Comments for question 2.b			
<ol> <li>Does your organization provide appropriate training on: *</li> </ol>			
<u>Read O. Reg. 191/11, s. 7 (1): Training</u>	Learn more about your requireme	nts for a	uestion 3
3.a. The AODA Integrated Accessibility Standards Regulation? *		) Yes	() No
<u>Read O. Reg. 191/11, s. 7 (1): Training</u>	Learn more about your requireme		0
Comments for question 3.a			
3.b The Human Rights Code as it pertains to people with disabilitie	es? *	Yes	◯ No
3.b The Human Rights Code as it pertains to people with disabilitien Read O. Reg. 191/11, s. 7 (1): Training	es? *		0
			0
Read O. Reg. 191/11, s. 7 (1): Training Comments for question 3.b			0
Read O. Reg. 191/11, s. 7 (1): Training Comments for question 3.b	to feedback		uestion 3.b
Read O. Reg. 191/11, s. 7 (1): Training         Comments for question 3.b         Information and communications         4. Does your organization have a process for receiving and responding that is accessible to people with disabilities? *         Note: This requirement is applicable regardless of whether custome on your premises (If Yes, please answer an additional question)	to feedback	nts for qu ⊖ t	vo
Read O. Reg. 191/11, s. 7 (1): Training         Comments for         question 3.b         Information and communications         4. Does your organization have a process for receiving and responding that is accessible to people with disabilities? *         Note: This requirement is applicable regardless of whether custome on your premises	Learn more about your requiremen	nts for qu ⊖ t	vo

<ol> <li>Does your organization have one (or more) website(s) which indirectly ('controls' means that your organization is able to a modify content and functionality of the website)? * (If Yes, please answer an additional question)</li> </ol>	
Read O. Reg. 191/11, s. 14: Accessible websites and web conte	nt Learn more about your requirements for question 5
5.a. Do all your organization's internet websites conform to Web Content Accessibility Guidelines 2.0 Level AA (exp pre-recorded audio descriptions)? In the comments box names and addresses of your publicly available web co social media pages, and apps. *	cept for live captions and x, please list the complete
Read O. Reg. 191/11, s. 14: Accessible websites and web co	Learn more about your requirements for question 5.a
Comments for question 5.a	
Customer Service	
<ul> <li>6. Does your organization provide training about providing good persons with disabilities to the following? *</li> <li>Staff and volunteers</li> <li>People involved in developing accessibility policies</li> <li>People providing goods, services or facilities on behalf of</li> </ul>	
(If Yes, please answer an additional question)	5
Read O. Reg. 191/11, s. 80.49: Training for staff, etc.	Learn more about your requirements for question 6
6.a. Does the training include all of the following: *	● Yes ◯ No
<ul> <li>A review of the purposes of the AODA?</li> <li>A review of the purposes of the Customer Service S</li> <li>How to interact and communicate with persons with</li> <li>How to interact with persons with disabilities who us</li> </ul>	various types of disability?
the assistance of a guide dog or other service anim person?	•
<ul> <li>How to use equipment or devices available on the p provided by the provider that may help with the prov facilities to a person with a disability?</li> </ul>	
<ul> <li>What to do if a person with a particular type of disal accessing the provider's goods, services or facilities</li> </ul>	
Read O. Reg. 191/11, s. 80.49: Training for staff, etc.	Learn more about your requirements for question 6.a

Comments for question 6.a

7.	Does your organization provide information in an accessible format? * ( If Yes, please answer additional questions)	• Yes (	) No
Re	ead O. Reg. 191/11, s. 80.51 (1): Format of documents Learn more about you	<u>ur requirements fo</u>	or question 7
	7.a. Is the provision of information in accessible format done so in a timely manner that takes into account the individual's disability? *	Yes	◯ No
	Read O. Reg. 191/11, s. 80.51 (1): Format of documents Learn more about you	<u>ur requirements fo</u>	or question 7.a
	Comments for question 7.a		
	7.b. Is the provision of information in accessible format at a cost no more than the regular cost charged to other persons? *	• Yes	⊖ No
	Read O. Reg. 191/11, s. 80.51 (1): Format of documents Learn more about you	ur requirements fo	or question 7.b
	Comments for question 7.b		
8.	Does your organization ever require a person with a disability to be accompanied by a support person when on your premises? * (If Yes, please answer an additional question)	⊖ Yes	No
	ead O. Reg. 191/11, s. 80.47 (5): Use of service animals and Learn more about you upport persons	<u>ur requirements fo</u>	or question 8
	<ul> <li>8.a. Does your organization do all of the following before requiring a person with a disability to be accompanied by a support person on your premises: *</li> <li>Consult with the person with a disability?</li> </ul>	⊖ Yes	⊖No
	<ul> <li>Determine a support person is necessary to protect the health or safety of the person with a disability or others on premises?</li> </ul>		
	<ul> <li>Determine that there is no other way to protect the health or safety of the person with a disability or others on premises?</li> </ul>		
	<u>191/11, s. 80.47 (5): Use of service animals and support persons</u> Learn more about you	<u>ur requirements fo</u>	or question 8.a
	Comments for question 8.a		
Er	mployment		
9.	Does your organization employ any persons with disabilities for whom you have provided individualized workplace emergency response information? * (If Yes, please answer additional questions)	⊖Yes	No
	ead O. Reg. 191/11, s. 27 (1): Workplace emergency response Learn more about you formation	<u>ur requirements fo</u>	or question 9

9.a.	Does your organization review the individualized workplace en information for all of the following? *	mergency response	⊖ Yes	⊖ No
	• When the employee moves to a different location in the or	ganization?		
	• When the employee's overall accommodation needs or pla	ans are reviewed?		
	• When your organization reviews its general emergency po	licies?		
	d O. Reg. 191/11, s. 27 (4): Workplace emergency response mation	Learn more about your req	uirements for	question 9.a
	nments for stion 9.a			
9.b.	Do any of the employees for whom your organization has pro- workplace emergency response information require assistanc (If Yes, please answer additional questions)		⊖ Yes	⊖No
	d O. Reg. 191/11, s. 27 (2): Workplace emergency response mation	Learn more about your req	uirements for	question 9.b
	nments for stion 9.b			
	9.b.i Has your organization, with the employee's consent, p emergency response information to the person design assistance to the employee? *		⊖ Yes	🔿 No
	<u>Read O. Reg. 191/11, s. 27 (2): Workplace emergency</u> response information	<u>Learn more about your requi</u>	<u>rements for qu</u>	<u>uestion 9.b.i</u>
	Comments for question 9.b.i			
	9.b.ii Was the individualized workplace emergency response soon as practicable after your organization became av accommodation due to the employee's disability? *		⊖ Yes	⊖ No
	<u>Read O. Reg. 191/11, s. 27 (3): Workplace emergency</u> response information	Learn more about your requi	rements for qu	<u>uestion 9.b.ii</u>

Comments for question 9.b.ii

# Design of public spaces

10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements as outlined in the Design of Public Spaces Standards?*       Image: Standards         Read O. Reg. 191/11 Part IV.1: Design of public spaces standards       Learn more about your requirements for question 10 standards         Comments for question 10.a       Image: Standards       Image: Standards         10.b. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order?*       Image: Standards         Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements       Learn more about your requirements for question 10 standards         AODA       AODA				
Outdoor play space     Off-street parking     Service counter     Fixed queuing guides     Waiting areas     (If Yes, please answer additional questions) Read O. Reg. 191/11 Part IV 1: Design of public spaces standards     Learn more about your requirements for question 10     a. Where applicable, do the newly constructed or redeveloped items meet the general     requirements as outlined in the Design of public Spaces Standards?     Read O. Reg. 191/11 Part IV.1: Design of public Spaces     Learn more about your requirements for question 10     a. Where applicable, do the newly constructed or redeveloped items meet the general     requirements as outlined in the Design of public Spaces     Learn more about your requirements for question 10     standards     Comments for     question 10.a  10.b. Does your organization's multi-year accessibility plan include procedures for     preventative and emergency maintenance of the accessible elements in public     spaces, and for deaing with temporary disruptions when accessible elements are     not in working order?     Read O. Reg. 191/11.s. 80.44: Maintenance of accessible elements     Learn more about your requirements for question 10     Comments for     question 10.b  ADDA  11. Is your organization a municipality with population of 10,000 or more?     (If Yes, please answer additional questions) Read Accessibility for Ontarians with Disabilities Act, 2005. S.O.     Learn more about your requirements for question 11     2005. c. 11. s. 29. Municipal Accessibility Advisory Committees  11.a. Has your organization established an accessibility advisory committee as described in	following items? *	veloped any of the	• Yes	🔿 No
Off-street parking     Service counter     Service counter				
Fixed queuing guides     Waiting areas     (If Yes, please answer additional questions) Read O. Reg. 191/11 Part IV.1: Design of public spaces standards     10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements for question 10     10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements for question 10     10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements for question 10     10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements for question 10     10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements for question 10     comments for question 10.a      10.b. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order?     Read O. Reg. 191/11.s. 80.44: Maintenance of accessible elements     Learn more about your requirements for question 10     Comments for question 10.b      ADDA      11. Is your organization a municipality with population of 10,000 or more?*     (If Yes, please answer additional questions)     Read Accessibility for Ontarians with Disabilities Act. 2005. S.O.     Learn more about your requirements for question 11     2005. c. 11. s. 29. Municipal Accessibility Advisory Committees     11.a. Has your organization established an accessibility advisory committee as described in Section 29 of the AODA?*     (If Yes, please answer additional questions)     Read Accessibility for Ontarians with Disabilities Act. 2005. S.O.     Learn more about your requirements for question 11     2005. c. 11. s. 29. Municipal Accessibility Advisory Committees     Comments for				
Waiting areas     (If Yes, please answer additional questions) Read O. Reg. 191/11 Part IV.1: Design of public spaces standards     Learn more about your requirements for question 10     10.a. Where applicable, do the newly constructed or redeveloped items meet the general         () Yes         Yes         No         requirements as outlined in the Design of Public Spaces Standards?*     Read O. Reg. 191/11 Part IV.1: Design of public spaces         Learn more about your requirements for question 10         Standards         Comments for         question 10.a      10.b. Does your organization's multi-year accessibility plan include procedures for         preventative and emergency maintenance of the accessible elements in public         spaces, and for dealing with temporary disruptions when accessible elements are         not in working order?*     Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements         Learn more about your requirements for question 10     Comments for     question 10.b  AODA  11. Is your organization a municipality with population of 10,000 or more?*         () Yes         Yes         No         read accessibility for Ontarians with Disabilities Act, 2005, S.O.         Learn more about your requirements for question 11 2005, c. 11, s. 29. Municipal Accessibility Advisory Committees         11.a. Has your organization established an accessibility advisory committee as described in         Seed Accessibility for Ontarians with Disabilities Act, 2005, S.O.         Learn more about your requirements for question 11 2005, c. 11, s. 29. Municipal Accessibility Advisory Committees         Section 29 of the AODA?*         (If yes, please answer additional questions)         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.         Learn more about your requirements for question 11 2005, c. 11, s. 29. Municipal Accessibility Advisory Committees         Comments for         (If yes, please answer additional questions)         Read Accessibility for Ontarians w	Service counter			
(If Yes, please answer additional questions)          Read O. Reg. 191/11 Part IV.1: Design of public spaces standards       Learn more about your requirements for question 10         10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements as outlined in the Design of Public Spaces Standards?*       No         Read O. Reg. 191/11 Part IV.1: Design of public spaces       Learn more about your requirements for question 10         10.a. Where applicable, do the newly constructed or redeveloped items meet the general standards       Yes         Comments for question 10.a       Learn more about your requirements for question 10         10.b. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order?*       No         Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements       Learn more about your requirements for question 10         Comments for question 10.b       Comments for question 10.b       Yes       No         MODA       (If Yes, please answer additional questions)       Yes       No         Read Accessibility for Ontarians with Disabilities Act. 2005, S.O. Learn more about your requirements for question 11       Yes       No         So, c. 11, s. 29: Municipal Accessibility Advisory Committees       Yes       No       No         Sectio 29 of the ADDA?*       (If yes, please answer	Fixed queuing guides			
Read O. Reg. 191/11 Part IV.1: Design of public spaces standards       Learn more about your requirements for question 10         10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements as outlined in the Design of Public Spaces Standards? *       No         Read O. Reg. 191/11 Part IV.1: Design of public spaces standards?       Learn more about your requirements for question 10         Standards       Comments for question 10.a       Learn more about your requirements for question 10         10.b. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order? *       No         Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements       Learn more about your requirements for question 10         Comments for question 10.b       Comments for question 10.b       Yes       No         ADDA       Yes, please answer additional questions)       Yes       Yes       No         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O. (If yes, please answer additional questions)       Learn more about your requirements for question 11         2005, c. 11, s. 29: Municipal Accessibility Advisory Committees       Yes       No         11.a. Has your organization established an accessibility advisory committee as described in Section 29 of the ADDA? (If yes, please answer additional questions)       Yes       No	Waiting areas			
10.a. Where applicable, do the newly constructed or redeveloped items meet the general requirements as outlined in the Design of Public Spaces Standards? *       No         Read O. Reg. 191/11 Part IV.1: Design of public spaces         Learn more about your requirements for question 10 standards         Comments for question 10.a         10.b. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order? *       Image: Space Standards         Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements       Learn more about your requirements for question 10 Comments for question 10.b         ADDA         11. Is your organization a municipality with population of 10,000 or more? *       O Yes       No         (If Yes, please answer additional questions)         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.         Learn more about your requirements for question 11         Comments for Question 11 0,000 or more? *         (Yes Image: No         (If Yes, please answer additional questions)         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.         Learn more about your requirements for question 11         (Yes Ima	(If Yes, please answer additional questions)			
requirements as outlined in the Design of Public Spaces       Learn more about your requirements for question 10 standards         Comments for question 10.a       Learn more about your requirements for question 10 standards         10.b. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order?       Image: Comments for question 10 standards         Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements       Learn more about your requirements for question 10 Comments for question 10 for question 10 standards         AODA       In Is your organization a municipality with population of 10,000 or more?       Yes No         Read Accessibility for Ontarians with Disabilities Act. 2005, S.O.       Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory committees         11.a. Has your organization established an accessibility advisory committee as described in Section 29 of the AODA?*       Yes No         Section 29 of the AODA?*       (If yes, please answer additional questions)       Yes No         Read Accessibility for Ontarians with Disabilities Act. 2005, S.O.       Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees         11.a. Has your organization established an accessibility advisory committee as described in Section 29 of the AODA?*       Yes No         Read Accessibility for Ontarians with Disab	Read O. Reg. 191/11 Part IV.1: Design of public spaces standards	Learn more about your red	quirements fo	r question 10
<ul> <li>standards</li> <li>Comments for question 10.a</li> <li>10.b. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order? *</li> <li>Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements Learn more about your requirements for question 10.</li> <li>Comments for question 10.b</li> <li>AODA</li> <li>11. Is your organization a municipality with population of 10,000 or more? * Yes No (If Yes, please answer additional questions)</li> <li>Read Accessibility for Ontarians with Disabilities Act, 2005, S.O. Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>11.a. Has your organization established an accessibility advisory committee as described in Yes No Section 29 of the AODA? * (If Yes, please answer additional questions)</li> <li>Read Accessibility for Ontarians with Disabilities Act, 2005, S.O. Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>Comments for ontarians with Disabilities Act, 2005, S.O. Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>Comments for ontarians with Disabilities Act, 2005, S.O. Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>Comments for ontarians with Disabilities Act, 2005, S.O. Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>Comments for ontarians with Disabilities Act, 2005, S.O. Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> </ul>			Yes	⊖ No
question 10.a         10.b. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order?*       No         Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements       Learn more about your requirements for question 10         Comments for question 10.b       Comments for question 10.b         AODA       (If Yes, please answer additional questions)         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O. (If yes, please answer additional questions)       Learn more about your requirements for question 11         2005, c. 11, s. 29: Municipal Accessibility advisory Committees       Yes       No         11.a. Has your organization established an accessibility advisory committee as described in Section 29 of the AODA?* (If yes, please answer additional questions)       Yes       No         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O. (If yes, please answer additional questions)       Learn more about your requirements for question 11         2005, c. 11, s. 29: Municipal Accessibility Advisory Committees       Yes       No         Section 29 of the AODA?*       Learn more about your requirements for question 11         2005, c. 11, s. 29: Municipal Accessibility Advisory Committees       Learn more about your requirements for question 11		Learn more about your ree	quirements fo	<u>r question 10.a</u>
preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order?*         Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements       Learn more about your requirements for question 10         Comments for question 10.b       Comments for question 10.b         AODA       Yes No         (If Yes, please answer additional questions)       Yes No         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.       Learn more about your requirements for question 11         2005, c. 11, s. 29: Municipal Accessibility Advisory Committees       Yes No         (If yes, please answer additional questions)       Yes No         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.       Learn more about your requirements for question 11         2005, c. 11, s. 29: Municipal Accessibility advisory committee as described in Section 29 of the AODA?*       Yes No         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.       Learn more about your requirements for question 11         2005, c. 11, s. 29: Municipal Accessibility Advisory Committees       Comments for question 11         Counters or       Yes No         Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.       Learn more about your requirements for question 11         2005, c. 11, s. 29: Municipal Accessibility Advisory Committees       Comments for				
<ul> <li>11. Is your organization a municipality with population of 10,000 or more? *</li></ul>	preventative and emergency maintenance of the accessible eleme spaces, and for dealing with temporary disruptions when accessib not in working order? * <u>Read O. Reg. 191/11, s. 80.44: Maintenance of accessible elements</u> Comments for	ents in public le elements are		<u> </u>
<ul> <li>(If Yes, please answer additional questions)</li> <li>Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.</li> <li>2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>11.a. Has your organization established an accessibility advisory committee as described in O Yes O No Section 29 of the AODA? *         <ul> <li>(If yes, please answer additional questions)</li> <li>Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.</li> <li>2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> </ul> </li> <li>Read Accessibility for Ontarians with Disabilities Act, 2005, S.O.</li> <li>2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>Comments for</li> </ul>	AODA			
<ul> <li>2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>11.a. Has your organization established an accessibility advisory committee as described in O Yes O No Section 29 of the AODA? *         <ul> <li>(If yes, please answer additional questions)</li> </ul> </li> <li>Read Accessibility for Ontarians with Disabilities Act, 2005, S.O. Learn more about your requirements for question 11 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees</li> <li>Comments for</li> </ul>			⊖Yes	No
Section 29 of the AODA? * (If yes, please answer additional questions) Read Accessibility for Ontarians with Disabilities Act, 2005, S.O. 2005, c. 11, s. 29: Municipal Accessibility Advisory Committees Comments for		Learn more about your red	q <u>uirements fo</u>	<u>r question 11</u>
2005, c. 11, s. 29: Municipal Accessibility Advisory Committees Comments for	Section 29 of the AODA? *	ittee as described in	⊖ Yes	⊖ No
	2005, c. 11, s. 29: Municipal Accessibility Advisory Committees	Learn more about your red	q <u>uirements fo</u>	<u>r question 11.a</u>

11.a.i	Is the	majority	of members	in the	committee	persons	with	disabilities? *

⊖Yes ⊖No

Read Accessibility for Ontarians with Disabilities Act, 2005, S.O. 2005, c. 11, s. 29: Municipal Accessibility Advisory	Learn more about your requirements for question 11.a.
Committees	
Comments for question 11.a.i	

11.a.ii Has the committee provided advice to council about site plans and drawings (as OYes ONo described in Section 41 of the *Planning Act*) as well as advice on the requirements and implementation of accessibility standards? \*

 Read Accessibility for Ontarians with Disabilities Act, 2005,
 Learn more about your requirements for question 11.a.ii

 S.O. 2005, c. 11, s. 29: Municipal Accessibility Advisory
 Committees

Comments for question 11.a.ii



### Organization category Designated Public Sector

Number of employees range 1-49

Filing organization legal name Township of Ashfield-Colborne-Wawanosh

Filing organization business number (BN9) 895726917

Fields marked with an asterisk (\*) are mandatory.

#### E. Accessibility compliance report summary

Your responses to the questions on your accessibility report indicate that your organization is in compliance with AODA standards. Your organization may be audited to verify compliance.